

Index

- A**
AABP (American Association of Bovine Practitioners), 81
AALAS (American Association for Laboratory Animal Science), 4
ABSL (Animal Biosafety Levels), 26
acclimation, after procurement, 8
accumulated heat load (AHL), 61
ACLAM (American College of Laboratory Animal Medicine), 710
aggression
 in beef cattle, 66
 in dairy cattle, 79
 in horses, 31, 32, 96
 in poultry, 34, 110, 120
 restraint and, 51
 in swine, 35, 148–149
Ag Guide, 5, 151
Agricultural Bioterrorism Protection Act, 26
AHL (accumulated heat load), 61
air changes per hour, 76. See also ventilation
air pressures, relative, 19
air quality, 19–20, 103
allergies, of personnel, 4
American Association for Laboratory Animal Science (AALAS), 4
American Association of Bovine Practitioners (AABP), 81
American Association of Swine Veterinarians, 153
American College of Laboratory Animal Medicine (ACLAM), 10
American Registry of Professional Animal Scientists (ARPAS), 4
American Veterinary Medical Association (AVMA), 14, 121, 139
ammonia exposure
 in humans, 20
 in poultry, 103
anesthesia and analgesics
 in castration
 of beef cattle, 68
 of horses, 100
 of sheep and goats, 136
 of swine, 151
 in disbudding/dehorning, 68–69, 81, 136
 drugs used as, 11, 12, 157
 in euthanasia
 acceptable methods, 14
 of beef cattle, 71
 of poultry, 120–121
 of sheep and goats, 139
 of swine, 153
 in mulesing, 136
 in supernumerary teat removal, 80
 supervision of, 10–11
 in surgery, 10–11
Animal and Plant Health Inspection Service (APHIS), 26
Animal Biosafety Levels (ABSL), 26
animal care and use committee. See Institutional Animal Care and Use Committee
Animal Medicinal Drug Use Clarification Act of 1994 (AMDUCA), 13
Animal Research Service (ARS), 26
Animal Welfare Act, 9
Animal Welfare Information Center, National Agricultural Library, 3–4
APHIS (Animal and Plant Health Inspection Service), 26, 121
area requirements. See space requirements
argon, in euthanasia, 121
ARPAS (American Registry of Professional Animal Scientists), 4
ARS (Animal Research Service), 26
artificial insemination
 bulls and, 85
 horses and, 98
 poultry and, 117
 sheep and goats and, 135
 swine and, 150
ascarids, 97
attending veterinarian
 anesthetics and, 11
 authority of, 9
 co-housed species and, 22
 euthanasia and, 14
 mixed-group housing and, 22
 pain and pain relief and, 11–12
 procurement of animals and, 8
 record keeping by, 10
 surgery personnel and, 11
 vaccination schedules and, 80
 zoonoses and, 12
aviaries, 103
AVMA (American Veterinary Medical Association), 14, 121, 139
- B**
bar biting, in swine, 30
barbiturates, 15, 100, 153
BCS (body condition score), 131–132
beak trimming, 117
bedding
 for dairy cattle, 74–75
 for horses, 32, 90–91
 for poultry, 34, 114
 for swine, 37, 146
 during transport, 54–55
bedding mattresses, 75
beef cattle, 61–73. See also calves; cattle
 in biomedical research, 70
 castration of, 68
 dehorning of, 68
 dystocia management in, 67
 euthanasia of, 71
 feed and water for, 64
 in feedlots, 63
 handling of, 50, 69
 ideal thermal conditions for, 61
 identification methods for, 69
 implanting of, 69
 in intensive laboratory facilities, 69–70
 range and pasture systems for, 62
 thermal indices and, 61
 vaccinations and drugs for, 68
belly nosing, in swine, 35
biocontainment, 26
biomedical research. See also research projects
 animal handling in, 45, 51
 beef cattle in, 70
 biocontainment in, 26
 swine in, 51, 152
Biosafety in Microbiological and Biomedical Laboratories (BMBL), 26
biosecurity, 3, 25

- blindfolds, 50
- boar taint, 151
- body condition score (BCS), 131–132
- Bos. See beef cattle; cattle; dairy cattle
- Bos indicus, 61
- Bos taurus, 61
- bots, 98
- branding, 23, 100
- breeding. See reproduction
- broilers. See also chickens; poultry
 - beak trimming of, 117
 - cages for, 104
 - drinker space for, 109
 - floor area for, 111–112
 - induced molting in, 119
 - perches for, 115
 - restricted feeding for breeders, 107
 - toe trimming of, 118
- bulls, 51, 85. See also cattle; dairy cattle
- bumblefoot, 333
- burdizzos, 121, 135
- C**
- calf cradles, 50
- calves. See also cattle
 - chutes with calf cradles for, 50
 - colostrum for, 78–79
 - cross sucking by, 80
 - dehorning of, 81
 - delivery of, 67
 - handling of, 79
 - large calf syndrome, 70
 - outdoor hutches for, 74
 - supernumerary teat removal in, 80
 - transporting, 55
 - weaning of, 66, 79
- Campylobacter fetus, 133, 158
- Campylobacter jejuni, 133, 158
- cannibalism, in poultry, 30, 34, 117–118
- caponization, 120–121
- Capra hircus. See goats
- captive bolt procedure
 - for beef cattle, 71
 - description of, 100
 - personnel training in, 15
 - for poultry, 121
 - for sheep and goats, 139
 - for swine, 153
- carbon dioxide, in euthanasia
 - for beef cattle, 71
 - for food animals, 15
 - for poultry, 121
 - for swine, 153
- carbon monoxide, 20, 153
- carcass disposal, 101, 139
- castration
 - anesthesia in, 68, 136, 151
 - of beef cattle, 68
 - of dairy cattle, 80
 - of horses, 100
 - of sheep and goats, 135–136
 - of swine, 151
- cats, in pest control, 24
- cattle. See also calves
 - bedding for, 74–75
 - in biomedical research, 70
 - bulls, 50, 85
 - castration of, 68
 - disbudding/dehorning of, 68–69, 81
 - dystocia management in, 67
 - environmental enrichment for, 31
 - euthanasia of, 71, 85
 - feed and water for, 64, 78
 - feedlots for, 63–64
 - flight zone concept in, 46
 - floor area for, 67
 - foot care in, 82
 - handling of, 50, 51
 - hearing in, 48
 - housing facilities for, 63–64, 74–75
 - ideal thermal conditions for, 61
 - identification methods for, 69
 - implanting of, 69
 - in intensive laboratory facilities, 69
 - lameness in, 83
 - milking machine and udder sanitation, 83
 - olfactory enrichment for, 31
 - range and pasture systems for, 62
 - restraint of, 80
 - social environment for, 66, 79
 - special-needs, 77
 - stray voltage and, 84
 - tail-docking in, 81
 - thermal indices and, 61
 - tongue rolling in, 30, 31
 - transporting, 55
 - vaccinations and drugs for, 68
 - ventilation for, 74
 - vision in, 48
- cervical dislocation, in euthanasia, 121
- chemical restraint, 51, 99
- chickens. See also poultry
 - aggression in, 110, 120
 - brooder temperatures and ventilation for, 116
 - cages for, 104, 114
 - comb and wattle removal in, 118
 - dustbathing by, 34
 - egg-laying hens
 - beak trimming of, 117
 - cages for, 104
 - drinker space for, 109
 - floor space for, 111–113
 - induced molting in, 119–121
 - perches for, 33, 115
 - range access for, 105
 - toe-trimming of, 118
 - feeder space for, 107
 - floor area for, 111
 - housing for, 104–106
 - meat-type chickens
 - beak trimming of, 117
 - cages for, 103–105
 - drinker space for, 108
 - floor area for, 111
 - induced molting in, 120
 - perches for, 115
 - restricted feeding for breeders, 107
 - toe trimming of, 118
 - nestboxes for, 33, 116
 - perches for, 33, 104, 116
 - sensory enrichment of, 35
 - sex ratio in housing, 109
 - social environment for, 108
 - water for, 108
- chutes, 49–50
- claiming pens, 134
- claw horn lesions, 83
- claw-shortening devices, 104
- clean water. See water
- cloacal stroke, 117
- cloned animals. See also genetically modified animals
 - guidelines for research on, 5–7

- cold climates. See also temperature
dairy cattle in, 74
- cold housing
for beef cattle, 64
natural ventilation in, 19
- colostrum
for calves, 78–79
for foals, 97
for lambs and kids, 133
- concrete flooring
advantages of, 49
for beef cattle, 64, 67
for dairy cattle, 75, 77–78, 82
for horses, 90–91, 95, 99
for sheep and goats, 129
for swine, 145, 148
- corrals, for horses, 92
- cortisol levels, stress and, 45–46, 50
- Corynebacterium pseudotuberculosis*, 135
- cows. See beef cattle; cattle; dairy cattle
- creep feeders, 95
- cribbing, in horses, 32, 97
- crutching, 134
- D**
- dairy cattle, 74–89. See also calves; cattle
aggression in, 51
bedding for, 74–75
bulls, 51, 85
disbudding/dehorning of, 81
floor area for, 75
foot care in, 82–83
handling of, 31, 51, 83
housing facilities for, 77–78
milking machine and udder sanitation, 83–84
olfactory enrichment for, 31
preparturition, 77–78
restraint and handling of, 80
social environment for, 79
special-needs, 77–78
stray voltage and, 84
tail-docking in, 81
ventilation for, 76
vocalizations in, 79
- dairy sheep and goats, 136. See also goats; sheep
- dead animals
disposal of, 9, 24, 153
postmortem examinations of, 9, 14
- decapitation, of poultry, 121
- dehorning
of beef cattle, 67–69
of dairy cattle, 81
of sheep, 136
- dehydration, in horses, 96
- delivery, in beef cattle, 67. See also calves
- deviated keel bones, 33
- dichromatic vision, 48
- digital dermatitis, 82
- disaster plans, 22
- disbudding
of beef cattle, 68
of dairy cattle, 81
of goats, 136
- diseased or disabled livestock. See also health care, animal
beef cattle, 71
hot weather and, 62
organic status and treatment of, 13
poultry, 52
quarantine of animals after procurement, 8
veterinary care for, 9
- diseases. See also specific diseases
in free-range poultry, 104–105
in intensive laboratory environments, 137
John's, 78
notifiable, 12
prevention of, 18, 21, 24
quarantine for, 8
stress and, 17
zoonotic. See zoonotic diseases
- disinfection, 21, 26
- disposal of dead animals, 24, 101
- dogs, sheep-herding, 131
- downer cows, 78
- drainage
for beef cattle pens, 64, 67
for horse stalls and sheds, 92–93
- drinkers. See water
- drugs. See medications
- ducks. See also poultry
beak trimming of, 118
brooding temperatures and ventilation for, 116–117
cannibalistic behavior in, 33
drinking water for, 108
feed for, 106–107
floor area for, 111
flooring for, 114
free-range housing for, 105
induced molting in, 120
nests for, 15
sex ratio in housing of, 111
social environment for, 110–111
substrate for, 33
swimming by, 33
- dust
beef cattle and, 63–64
exposure levels, 20
factors affecting, 20
- dustbathing, 34, 104
- dystocia management, in beef cattle, 67, 71
- E**
- ear notching, 23, 133
- ear tags, 69
- Eastern equine encephalitis (EEE), 97
- edema, in horses, 97
- egg-laying hens. See also chickens; poultry
beak trimming of, 117–118
cages for, 104
drinker space for, 108–109
floor space for, 111
induced molting in, 119–120
perches for, 115
range access for, 104–105
toe-trimming of, 118
- EIA (equine infectious anemia), 98
- electrical immobilization, 49, 50
- electric fences, 93
- electric prods, 47
- electrocution, 15, 123
- electroejaculation, 85
- electronic transponders, 23
- embryos, destruction of, 122
- emergency procedures
disaster planning, 22
emergency plans, 22
surgical, 11
in transportation, 57
- employees. See personnel
- endometritis, 98
- entropion, 133
- environmental enrichment, 30–44

- for cattle, 31
 - definition of, 30
 - goals and types of, 30
 - for horses, 31–32
 - for poultry, 33–35
 - safety of, 38–39
 - for swine, 35–38
- Equine Appeasement Pheromone, 32
- equine infectious anemia (EIA), 98
- equipment maintenance, 49
- European Commission, 104
- euthanasia
 - of beef cattle, 71
 - of dairy cattle, 85
 - of food animals, 15
 - of horses, 100
 - of non-ambulatory animals, 54
 - of poultry, 121
 - protocols for, 14
 - of sheep and goats, 139
 - of swine, 153
- evaporative coolers, 19
- ewes. *See* sheep
- excreta management
 - for beef cattle, 70
 - for dairy cattle, 75, 77
 - disease prevention and, 4, 20
 - goals and plans for, 20
 - for horses, 92
 - in metabolism stalls, 25
 - occupational enrichment and, 36
 - for poultry, 113
 - for sheep and goats, 132, 136
 - for swine, 144
- exercise
 - for cattle, 31, 70, 74, 75
 - for horses
 - equipment for, 100
 - in indoor stalls, 97
 - in paddocks and corrals, 92
 - in pastures, 92
 - metabolism stalls and, 25
 - for poultry, 33, 103
 - for sheep and goats, 138
 - for swine, 36
- exsanguination, 121–123, 153
- extra-label use, 12
- F**
- facilities. *See also* housing
 - air quality in, 17–19
 - for beef cattle, 61–64
 - for dairy cattle, 74–78
 - design principles for, 49
 - environmental requirements for, 16
 - for euthanasia, 71
 - for hazardous materials, 5
 - for horses, 90–93, 99
 - inspections of, 2
 - intensive laboratory, 69–70, 137
 - for lairage, 56, 57, 139
 - for poultry, 103–105
 - for quarantine, 8
 - for sheep and goats, 129–130
 - for surgery, 11
 - for swine, 143–150
 - vermin control in, 10, 21, 23
 - well-being criteria for, 16
- fans, 19
- FARAD (Food Animal Residue Avoidance Database), 12
- FARAD Compendium of FDA Approved Drugs, 12
- farrowing systems, 145–147
- FDA (Food and Drug Administration), 5–6, 12
- feather pecking, 20, 30, 34, 118
- Federal Humane Slaughter Act, 121
- feed and feeding
 - for beef cattle, 65
 - for dairy cattle, 80
 - dust generation and oil content of, 20
 - feed storage, 21
 - for horses, 95
 - nutritional enrichment, 37
 - for poultry, 106–108
 - for sheep and goats, 130–132
 - for swine, 147–148
 - vermin control and, 21
- feedlots
 - for beef cattle, 63–64
 - for sheep and goats, 35
- fencing
 - for beef cattle, 63
 - electric, 93, 130
 - for horses, 91, 93, 99
 - for poultry, 105
 - for sheep and goats, 35, 130–131
- flight zone concept, 46
- floor area. *See* space requirements
- floors and flooring
 - for beef cattle, 65, 67
 - for dairy cattle, 75, 77, 82
 - design principles for, 49
 - for horses, 90, 91
 - for poultry, 104, 111–115
 - restraint and, 50
 - for sheep and goats, 129–130
 - for swine, 145–147
- fly strike, 135, 136, 138
- Food and Drug Administration (FDA), 12
- Food Animal Residue Avoidance Database (FARAD), 12
- foot care
 - for dairy cattle, 82
 - for horses, 97
 - mud and, 75
 - for poultry, 111–113, 114–116
- foot hobbles, 51, 99
- forage. *See also* feed and feeding
 - for beef cattle, 62
 - for dairy cattle, 77
 - for horses, 31
 - for sheep and goats, 129
 - for swine, 38
- foremilk removal, 83
- free-range poultry, 103–105
- free-stall barns, 75, 77
- freeze branding, 23, 69
- Fusobacterium necrophorum*, 82
- G**
- gastric lesions, in swine, 38
- gates, for horses, 93
- geldings, 32
- genetically modified animals
 - beef cattle, 70–71
 - guidelines for research on, 5
 - potential impact on care of, 14
 - poultry, 120
 - sheep and goats, 139
 - swine, 152
- genetic differences, care and, 17
- gestation crates, 149
- goats, 129–142
 - castration of, 135–136

- dairy, 137
- disbudding of, 136
- diseases in, 137
- environmental enrichment for, 35
- euthanasia of, 139
- feeder space for, 130
- feed for, 131–132
- fencing for, 130–131
- handling of, 51–52
- housing for, 129
- in intensive laboratory environments, 137–138
- lairage facilities for, 139
- lighting for, 131
- parasite control in, 134
- predator control for, 137
- shearing of, 134–135
- social environment for, 35, 133–134
- transgenic and cloned, 138–139
- water for, 132–133
- young, 130
- zoonotic diseases in, 137, 158–159
- grooming
 - of cattle, 31, 81
 - of horses, 31–32, 97
 - of poultry, 34, 111
- guardian dogs, 131
- Guide for the Care and Use of Laboratory Animals (ILAR), 9, 151
- Guidelines for Human Transportation of Research Animals (NRC), 55
- Guidelines for Research Involving Recombinant DNA Molecules (NIH), 27
- Guidelines on Euthanasia (AVMA), 71, 121, 139
- gunshot, in euthanasia, 100, 139, 153
- H**
- halal slaughter, 123
- halters, 99
- handling
 - aids for moving animals, 47–48
 - of animals in pain, 12
 - of beef cattle, 50, 64
 - in biomedical vs. agricultural research, 45–46
 - of calves, 79
 - of dairy cattle, 29, 51, 79–80
 - facility design principles and, 49
 - flight zone concept and, 46–47
 - following leaders, 47
 - general principles of, 45–46
 - hearing and vision in animals and, 48
 - of horses, 51, 96–97
 - of poultry, 31, 32, 52, 117
 - research requirements for, 45–46
 - restraint principles and, 49–50
 - of sheep and goats, 51–52
 - socialization and, 45
 - of swine, 36, 51
 - in transport, 53–56
 - visual distractions and, 48–49
- hayracks, 94
- hazardous materials
 - compliance in use of, 5
 - record keeping and, 14
 - residue avoidance and, 12
- head-box respiration calorimetry system, 132
- head gates, 50
- head-nodding, by horses, 32
- health care, animal. *See also* attending veterinarian; diseased or disabled livestock
 - euthanasia. *See* euthanasia
 - institutional requirements for, 4–5
 - medical records, 10, 13
 - pain. *See* pain
 - pain relief, 12. *See also* anesthesia and analgesics
 - preventive medicine, 9
 - in procurement, 8
 - in quarantines, 8
 - residue avoidance, 12–13
 - restraint and, 14
 - surgery, 10–12
 - zoonotic diseases. *See* zoonotic diseases
- health records, 4–5, 10
- hearing, handling and, 48
- heat. *See* temperature
- heat load index (HLI), 62
- heat protection
 - for beef cattle, 63
 - for horses, 92
 - for sheep and goats, 129
- heat stress
 - in beef cattle, 62, 63
 - in dairy cattle, 74
 - in gestating swine, 146, 149
 - during transport, 55
- heel horn lesions, 82
- Hemonchus contortus, 134
- hens. *See* chickens; egg-laying hens; poultry
- HLI (heat load index), 62
- hobbles, 51, 80, 99
- Holsteins, 75
- hoof care. *See* foot care
- hoof lesions, 82
- horses, 90–102
 - aggression in, 31, 32, 95–96
 - bedding for, 91
 - breeding and foaling, 98–99
 - cribbing by, 31
 - digestive physiology in, 93–94
 - environmental enrichment of, 31–33
 - feed containers for, 95
 - feed for, 94–95
 - flight zone concept in, 46
 - grooming of, 31–32, 97
 - handling of, 51
 - head-nodding by, 32
 - hearing in, 48
 - identification of, 100
 - indoor environment for, 90–91
 - long-term relationships between, 31
 - management of, 97
 - noise and, 32, 92
 - outdoor environment for, 92–93
 - pastures for, 95
 - restraint of, 99
 - stallions, 32
 - stall weaving by, 31
 - stereotypic behaviors in, 96
 - transporting, 51, 53–55
 - vision in, 48
 - vocalizations in, 31, 96
 - water containers for, 96
 - wind-sucking in, 31
 - young, 92
- hot branding, 69
- housing
 - air quality in, 19–20
 - aviaries, 103
 - for beef cattle, 63–64
 - biocontainment, 26
 - biosecurity, 3, 26
 - for bulls, 85
 - for dairy cattle, 74–75
 - factors in space requirements, 17
 - for poultry, 104–106

- separation by species, source, or age, 22
- for sheep and goats, 129–130
- for swine, 145–149
- temperature in. See temperature
- ventilation in. See ventilation
- Humane Slaughter of Livestock, 71
- humidity
 - relative, 17, 76
 - temperature-humidity index, 18, 61–62
- husbandry
 - for beef cattle, 66
 - for dairy cattle, 79
 - general considerations in, 22–24
 - for horses, 96–98
 - macroenvironments and microenvironments, 17
 - for poultry, 109–117
 - for sheep and goats, 133–135
 - for swine, 144–150
 - well-being criteria in, 16–17
- hydrogen sulfide exposures, 20
- I**
- IACUC. See Institutional Animal Care and Use Committee
- identification
 - of beef cattle, 69
 - general requirements for, 23
 - of horses, 100
 - of poultry, 118
 - radio-frequency identification tags, 69
 - of swine, 146, 151
- ILAR (Institute for Laboratory Animal Research), 9, 10, 151
- ILAR Guide, 9, 151
- IMI (intramammary infection), 81
- immunization
 - of beef cattle, 68
 - of personnel, 4
 - of sheep and goats, 133, 135
- impaction colic, 95
- implanting, 69
- INAD (Investigational New Animal Drug), 12–13
- induced molting, 119–120
- influenza, 97
- injuries in animals
 - from abnormal behaviors, 30
 - in aviaries, 104
 - from environmental enrichment, 38–39
 - from feather pecking, 34, 117
 - from holding poultry, 52
 - during transport, 54
 - treatment of, 9, 24
 - in turkey snoods, 119
 - from wing-flapping, 52
- insect control
 - fly strike and, 138
 - for horses, 98
 - in intensive laboratory environments, 138
 - tail-docking and, 81
- insemination. See artificial insemination
- Institute for Laboratory Animal Research (ILAR), 9, 10, 151
- Institutional Animal Care and Use Committee (IACUC)
 - on acclimation and stabilization after procurement, 8
 - on feeding schedules, 21
 - on genetically engineered or cloned animals, 5–6
 - on intensive laboratory environments, 137
 - medical records oversight by, 10
 - monitoring by, 1–2
 - powers of, 2
 - protocol review by, 2–3
 - on surgical procedures, 10–12
- institutional policies, 1–7
- intensive laboratory facilities
 - beef cattle in, 69–70
 - sheep and goats in, 137
- interdigital phlegmon, 82
- intramammary infection (IMI), 82
- Investigational New Animal Drug (INAD), 12–13
- ionophores, 94
- isolation. See separation
- J**
- Johne's disease, 78, 133
- K**
- Khaki Campbell ducks, 115. See also ducks; poultry
- kosher slaughter, 123
- L**
- lairage, 56, 57, 139
- lameness, in dairy cattle, 82, 83. See also foot care
- laminitis, 98
- large calf syndrome, 70–71
- laxatives, 145
- leg straps, for horses, 51, 99
- LH (luteinizing hormone), 144
- lighting
 - for beef cattle, 64, 70
 - blue-light spectra, 48
 - for calving in pastures, 78
 - for dairy cattle, 80
 - in feedlots, 64
 - for horses, 56, 92
 - indirect, 48
 - in intensive laboratory facilities, 70
 - management schemes for, 20
 - for poultry, 48, 52, 103, 105
 - for sheep and goats, 131
 - for swine, 143
- lip tattoos, 100
- litter. See bedding
- Livestock Weather Safety Index (LWSI), 18, 55
- loading ramps, 56
- locomotion scores, 82
- luteinizing hormone (LH), 144
- LWSI (Livestock Weather Safety Index), 18, 55
- M**
- maceration, 121
- macroenvironments, 17
- management procedures. See standard agricultural practices
- manure. See excreta management
- mastitis
 - bedding and, 75
 - sanitation and, 83
 - stray voltage and, 84
- maternity. See reproduction
- meat-type chickens. See broilers
- medical care. See health care, animal
- Medical Records for Animals used in Research Teaching and Testing (ACLAM), 10
- medications
 - anesthetics and analgesics. See anesthesia and analgesics
 - for animals with organic status, 13
 - FDA approved, 12
- Merino sheep, 135
- metabolism stalls, 22, 150
- methane exposures, 20
- microchip insertion, 100
- microenvironments, 17
- milking machine sanitation, 83
- milk production
 - cows, 74, 83–84
 - sheep and goats, 137

- misters, 19
- mites, 98
- Model Code of Practice for the Welfare of Animals, The Sheep, 136
- molting, induced, 119
- monitoring, of care and use, 1–2
- mosquitoes, 98, 158
- mud, foot infections and, 75
- mulesing, 136
- Muscovy ducks, 34. See also ducks
- music, 35
- Mycobacterium paratuberculosis, 133
- myiasis (fly strike), 138

- N**
- national animal identification system, 69
- National Institute for Occupational Safety and Health (NIOSH), 103
- National Institutes of Health (NIH)
 - on biomedical research facilities, 26
 - on recombinant DNA research, 5, 26
- National Mastitis Council (NMC), 83
- National Organic Standards, 13
- National Pork Board, 55, 149
- navel disinfection, 146
- needle teeth trimming, 146
- nestboxes, for chickens, 33, 115
- nests
 - for chickens, 33, 115
 - for ducks, 33, 115
 - for swine, 36
 - for turkeys, 115
- neutering. See castration
- NIH Design and Policy Guidelines, 26
- NIOSH (National Institute for Occupational Safety and Health), 103
- nipple drinkers, 109
- nitrogen, in euthanasia, 121
- NMC (National Mastitis Council), 83
- noise
 - cattle and, 31
 - effects of, 24
 - horses and, 92
 - personnel protection from, 4
 - swine and, 37
- nose rings, 151
- nose tongs, 50
- Noz-Bonz pegs, 107
- nutritional enrichment
 - for cattle, 31
 - for horses, 31–32
 - for poultry, 35
 - for swine, 38
 - for sheep and goats, 35

- O**
- observation
 - after environmental enrichment, 38
 - general requirements of, 22
 - of horses, 97
 - in intensive production conditions, 22, 67, 134
 - of neonatal sheep and goats, 130
 - of newly arrived animals, 8
 - of range cattle, 62
 - records of, 10
- occupational enrichment
 - for cattle, 31
 - for horses, 32
 - for poultry, 33
 - for swine, 36
- occupational health and safety programs, 4
- olfactory enrichment
 - for dairy cows, 31
 - for swine, 37
- On-Farm Euthanasia of Swine—Recommendations for the Producer, 153
- organic status, treatment of sick animals and, 13
- osteoporosis, 33, 52, 113
- overlap select agents, 26–27
- Ovis aries. See sheep

- P**
- paddocks, 92
- pain
 - in beak trimming, 117
 - in castrated sheep and goats, 136
 - in horses, 100
 - from lameness in dairy cattle, 82–83
 - relief of, 12
 - in tail-docked heifers, 81
 - in tail-docked sheep, 135
- Panepinto sling, 50, 51, 52
- paralytic drugs, 11
- parasite control
 - in horses, 97
 - in sheep and goats, 134
- paratuberculosis, 133
- Pasteurized Milk Ordinance, 83
- pastures
 - calving in, 77
 - for dairy cows, 31
 - for horses, 90–92
 - pasture-to-crop rotations, 21
 - for sheep and goats, 132
- pathogens, biocontainment of, 26
- Pekin ducks, 108, 110, 111, 114. See also ducks; poultry
- pentobarbital, 100
- perches, for poultry, 33, 103, 115
- personnel
 - allergies in, 4
 - certification of, 3–4
 - emergency plans and, 23
 - immunization of, 4
 - noise exposure to, 4
 - occupational health and safety programs for, 4
 - protective clothing for, 25
 - in surgery, 11
 - training of, 3–4
 - weekend and holiday care by, 22
 - zoonoses and, 4
- pesticides, 12–14, 24
- photoperiod. See lighting
- physical enrichment
 - for horses, 32
 - for poultry, 33
 - for sheep and goats, 35
 - for swine, 37
- pigs. See swine
- pinioning, 119
- pinworms, 98
- plastic streamers, 50
- postmortem examinations, 9, 14
- poultry, 103–128
 - aggression in, 110
 - ammonia levels and, 103
 - in aviaries, 104
 - beak trimming in, 117–118
 - brooding temperatures and ventilation, 116
 - cannibalism in, 30–34, 116, 117
 - environmental enrichment for, 33–35
 - euthanasia of, 121–123
 - feather loss as sign of stress in, 16
 - feather pecking by, 30, 34, 117
 - feed for, 106–108
 - floor area and space utilization, 111–114
 - flooring for, 114–115

- free-range housing, 104–105
 - genetically modified, 120
 - handling of, 52
 - heat stress in, 57
 - identification of, 23
 - induced molting in, 119
 - nestboxes for, 33, 115
 - novel objects and, 34
 - other bird species, 121
 - panic behavior by, 110
 - perches for, 104, 115–116
 - pinioning of, 119
 - semen collection and artificial insemination in, 117
 - social environment for, 109–111
 - toe trimming of, 118–119
 - transport of, 57
 - vision in, 48
 - water for, 108–109
 - young, 110, 115–117
 - predator control, 137
 - preventive medicine, 9
 - protocol review, 2–3
- Q**
- quality assurance programs, 13
 - quarantine, after procurement, 8
- R**
- radio-frequency identification (RFID) tags, 69
 - rapid eye movement (REM) sleep, 90
 - rat control. *See* vermin control
 - record keeping, 3–4, 9–10, 13, 23
 - regulatory oversight, 13
 - relative humidity, 18, 61–62, 76
 - REM (rapid eye movement) sleep, 90
 - reproduction. *See* also young animals
 - artificial insemination
 - of cattle, 85
 - of horses, 98
 - of poultry, 117
 - of swine, 150
 - brooding temperatures and ventilation, 116
 - housing, 110
 - nestboxes, 33, 115
 - records, 23
 - research projects
 - animal handling requirements in, 45–46
 - beef cattle in, 70
 - government principles on animal care, 157
 - housing of swine on biomedical protocols, 151
 - IACUC review of, 2–3
 - metabolism stalls, 22
 - written operating procedures for, 3
 - residue avoidance, 12
 - respiratory protection, 4
 - restraints
 - chemical, 51, 99
 - for dairy cattle, 51, 80
 - electrical immobilization, 49–50
 - general principles of, 49–50
 - health care and, 14
 - for horses, 99
 - in metabolism stalls, 25
 - preventing behavioral agitation with, 50
 - RFID (radio-frequency identification) tags, 69
 - rodent control. *See* vermin control
 - ropes, hanging, 36
 - roping, 50
 - rubber mats
 - for beef cattle, 70
 - for dairy cattle, 75
 - for horses, 90, 91
 - for swine, 145, 150
 - run-in sheds, 91, 92–93
- S**
- safety of animals. *See* also injuries in animals
 - environmental enrichment and, 38, 39
 - inter-building transmission of pathogens, 26
 - safety of humans
 - air quality and, 19–20, 92
 - bulls and, 84
 - occupational health and safety programs, 4
 - protective clothing and decontamination, 25
 - Salmonella enteritidis, 120
 - salt
 - for beef cattle, 62
 - for horses, 94
 - sand floors
 - for dairy cattle, 75, 77, 83
 - for horses, 90, 91
 - sanitation. *See* also excreta management
 - for beef cattle, 68
 - design principles, 49
 - in excreta management system, 20, 21
 - for horses, 92
 - of milking machines and udders, 83
 - for swine, 146, 147
 - SCC (somatic cell counts), 81
 - SCSRPC (Southern Consortium for Small Ruminant Parasite Control), 134
 - semen collection, in poultry, 117
 - sensory enrichment
 - for cattle, 31
 - for horses, 32
 - for poultry, 35
 - for swine, 37
 - septicemia, 98
 - shade provision, for beef cattle, 62
 - shearing, 134
 - sheep, 129–142
 - allergens in, 139
 - castration of, 135
 - dairy, 137
 - environmental enrichment for, 35
 - euthanasia of, 139
 - feed for, 131–132
 - fencing for, 130–131
 - housing for, 129–130
 - in intensive laboratory environments, 137
 - lairage facilities for, 139
 - lighting for, 131
 - parasite control in, 134
 - predator control for, 137
 - shearing, 134
 - social environment for, 133
 - tail-docking of, 135
 - transgenic and cloned, 138
 - vision in, 48
 - water for, 132–133
 - wool biting in, 35
 - zoonotic diseases in, 137
 - Sheep Care Guide (Shulaw), 52
 - sheep-herding dogs, 131
 - Sheep Housing and Equipment Handbook (MWPS), 129
 - Sheep Production Handbook (ASIA), 129, 131
 - showers, pig-operated, 37
 - sick animals, 9, 24. *See* also health care, animal
 - slaughter, of poultry, 122
 - slope. *See* also drainage
 - in beef cattle pens, 64, 65, 67
 - in dairy cattle housing, 77

- in horse stalls, 90
 - in poultry cages, 113
 - in sheep and goat facilities, 129
 - in swine pens, 146, 147
 - Small Ruminant Production Medicine and Management: Sheep and Goats, 129, 131
 - snaring, 51
 - snood removal, 119
 - snow, as water source, 130, 132
 - socialization, 45
 - solar radiation, beef cattle and, 62
 - somatic cell counts (SCC), 81
 - Southern Consortium for Small Ruminant Parasite Control (SCSRPC), 134
 - space requirements
 - aviaries and, 104
 - for beef cattle, 65
 - for dairy cattle, 76
 - factors in requirements for, 17
 - for horses, 91
 - for poultry, 111–114
 - for sheep and goats, 130
 - for swine, 147–148
 - stabilization, after procurement, 8
 - stall doors, 90
 - stall size
 - for dairy cattle, 78
 - for farrowing sows, 145, 148
 - for horses, 90, 91
 - stall weaving, in horses, 31
 - stanchions, 49–52, 70
 - standard agricultural practices
 - for beef cattle, 67–68
 - for dairy cattle, 80–83
 - for horses, 100
 - overview of practices in, 24
 - for poultry, 117–120
 - for sheep and goats, 135–136
 - for swine, 151
 - stereotypic behaviors
 - environmental enrichment and, 30
 - in horses, 31, 32, 91
 - in swine, 38
 - sterilization of equipment, 21
 - straw, for swine, 36
 - stray voltage, 84, 133
 - stress. *See also* separation
 - cortisol levels and, 45–46, 50
 - feather loss in poultry and, 16
 - during induced molting, 119
 - in isolated cattle, 79
 - in isolated horses, 91
 - strongyles, 97
 - stunners, 122
 - surgery, 10–12. *See also* anesthesia and analgesics
 - Sus scrofa*, 152
 - Sus vittatus*, 152
 - swine, 143–156
 - in biomedical protocols, 151
 - breeding and gestation systems for, 148–149
 - castration of, 151
 - environmental enrichment of, 35–38
 - euthanasia of, 153
 - farrowing systems for, 145
 - floor space for, 148, 150
 - genetically engineered and cloned animals, 152
 - growing-finishing systems for, 147–148
 - hearing in, 48
 - lighting for, 143–144
 - mating facilities for, 150
 - in metabolism stalls, 150
 - microenvironment for, 143
 - nose rings in, 151
 - nursery systems for, 147
 - with small mature body size, 152
 - social environment for, 144–145
 - stress from electric prods, 47
 - teeth trimming in, 151
 - thermal conditions for, 144
 - transporting, 53, 54
 - ventilation for, 54, 143
 - vocal communication among, 150
 - vocalizations in, 150
 - water for, 144–145
- T**
- tail biting, in swine, 36
 - tail-docking
 - in dairy cattle, 81
 - in sheep, 135–136
 - tattoos, 23, 100
 - TCZ (thermal comfort zone), 61
 - teeth floating, in horses, 97
 - teeth trimming, in swine, 151
 - temperature
 - beef cattle and, 61–62
 - dairy cattle and, 74
 - horses and, 92
 - in metabolism stalls, 25
 - for poultry brooding, 104, 116
 - preferred thermal conditions, 17–18
 - for sheep and goats, 129–130
 - for swine
 - of different ages, 144
 - in nurseries, 147
 - recommended ranges of, 144
 - with small mature body size, 152
 - sows, 145
 - temperature-humidity index (THI), 18, 61
 - tetanus, 97, 136
 - tether system, for swine, 149
 - thermal comfort zone (TCZ), 61
 - thermoneutral zone (TNZ), 61
 - THI (temperature-humidity index), 18, 61
 - ticks, 23, 98
 - tie stalls, 75
 - TNZ (thermoneutral zone), 61
 - toe trimming, of poultry, 118
 - tongue rolling, in cattle, 30
 - tooth floating, in horses, 97
 - tooth trimming, in swine, 151
 - toys, 32
 - trailers, for horses, 55
 - training programs, for personnel, 3–4, 11
 - tranquilizers, 2, 3, 11
 - transgenic animals. *See also* genetically modified animals
 - potential problems in, 14, 118
 - sheep and goats, 138–139
 - transportation of animals
 - of cattle, 51
 - distance and, 57
 - of horses, 57
 - lairage and, 57
 - loading and unloading ramps in, 56
 - moving animals to vehicles, 54
 - of poultry, 52
 - of sheep and goats, 51–52
 - space requirements in, 53
 - of swine, 51
 - thermal environment in, 55
 - vehicle recommendations for, 55
 - Treponema, 82
 - Trucker Quality Assurance Handbook (NPB), 53–55

truffles, 37
 turkeys. See also poultry
 aggressive behavior in, 34, 110
 artificial insemination of, 117
 beak trimming of, 118
 brooding temperatures and ventilation, 116
 feeder space for, 107
 free-range housing, 104–105
 induced molting in, 120
 perches for, 33, 115–116
 snood removal in, 119
 social environment for, 110
 substrate for, 34
 toe trimming of, 119
 water for, 108–109
 twitches, 99

U

urinary calculi, 131
 U. S. Department of Agriculture (USDA), 5, 25
 US Government Principles for the Utilization and Care of Vertebrate Animals Used in Testing, Research, and Training, 157

V

vaccinations. See immunization
 Venezuelan equine encephalitis (VEE), 97
 ventilation
 air quality and, 18–19
 automatic warning systems for, 19
 functions of, 18
 in intensive laboratory facilities, 69–70
 measurement of, 76, 77
 mechanical vs. natural, 19
 moisture control through, 18–19, 76–77
 during transport, 56
 vermin control
 cats in, 24
 facility design for, 21
 facility management for, 21
 for horses, 98
 veterinary care. See health care, animal
 veterinary technology, 4
 vices, in horses, 31
 video stimulation, 35
 vision, handling and, 48
 vocalizations
 in dairy cattle, 79
 in horses, 31, 96
 in swine, 37

W

waste management. See excreta management
 water
 for beef cattle, 64–65
 for dairy cattle, 78–79
 for horses, 96
 for poultry, 107–109
 quality testing of, 21
 for sheep and goats, 130, 132
 stray voltage in, 84
 for swine, 143, 144
 water containers, automatic, 96
 WCI (wind chill index), 18
 weaning pigs, 147
 wean-to-finish systems, in swine, 145
 well-being, criteria of, 16–17
 Western equine encephalitis (WEE), 97
 West Nile virus, 97
 wetting animals, 19
 white line disease, 82
 wildlife, zoonoses from, 24

wind chill index (WCI), 18, 62
 wind chill temperature index, 18
 wind protection, 55
 wind-sucking, in horses, 30, 31
 wool biting, 35
 workers. See personnel
 written operating procedures, 2, 3

Y

young animals. See also reproduction
 cattle. See calves
 sheep and goats, 131, 133
 ventilation and, 19

Z

zone heating, 145
 zoonotic diseases
 attending veterinarian duties and, 12
 personnel risk from, 4, 24
 in sheep and goats, 137
 table of, 158–159
 vermin control and, 24